

Ph: 02 9531 4166 Email: info@scully.net.au Address: 7D/1-3 Endeavour Rd, Caringbah NSW 2229

Compact Sheltered Setting



OUR PRODUCTS ARE COMPLIANT WITH AUSTRALIAN STANDARD AS1428.2 DESIGN FOR ACCESS AND MOBILITY PART 2: ENHANCED AND ADDITIONAL REQUIREMENTS – BUILDING AND FACILITIES FABRICATION AND ERECTION TO AS4100 & AS/NZS1554. ALL STEELWORK TO AS1163.



Ph: 02 9531 4166 Email: info@scully.net.au Address: 7D/1-3 Endeavour Rd, Caringbah NSW 2229

Compact Sheltered Setting



2000L x 2000W x 2300H Model No: BWJ-138P—Recycled Plastiwood Slats P1 - Tassie Oak P2 - Jarrah P3 - River Gum P4 - Charcoal

OUR PRODUCTS ARE COMPLIANT WITH AUSTRALIAN STANDARD AS1428.2 DESIGN FOR ACCESS AND MOBILITY PART 2: ENHANCED AND ADDITIONAL REQUIREMENTS – BUILDING AND FACILITIES FABRICATION AND ERECTION TO AS4100 & AS/NZS1554. ALL STEELWORK TO AS1163.



Ph: 02 9531 4166 Email: info@scully.net.au Address: 7D/1-3 Endeavour Rd, Caringbah NSW 2229

Compact Sheltered Setting

2000L x 2000W x 2300H

Model No: BWJ-138P—Recycled Plastiwood Slats Model No: BWJ-138C—Camphor Wood Slats Model: No: BWJ-138—Aluminium Slats

This combination shelter is not only functional but an easy way to provide both shade and seating to any space.

The shelter is high quality powder coated steel and comes with a colour bond metal roof.

SPECIFICATIONS:

- Supplied fully assembled
- Bow over roofline
- Colorbond roof to select colour

Galvanised steel framework

 \Rightarrow Powder coated to select Dulux colour

Seats up to 8 adults

OPTION 1

OPTION 2



NB: *Installation through existing synthetic grass, repairs will be carried out but will be unable to match existing quality.*

NB: *Installation through existing soft-fall, repairs will be carried out but will be unable to match existing colour.*